

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. Canceled.

2. Canceled.

3. Canceled.

4. Canceled.

5. Canceled

6. Canceled

7. Canceled

8. Canceled.

9. Canceled.

10. Canceled.

11. Canceled.

12. Canceled.

13. Canceled.

14. (Currently Amended) An information processing system comprising:

a housing having a first and second side wherein the first side is opposite the second side;

a card insulator, the card insulator comprising:

a single planar portion; and

a curved handle portion coupled to the single planar portion, the curved handle portion including a hooked element for coupling the card insulator to the first side of the housing;
and

a retainer guide, the retainer guide coupled to the second side of the housing, the retainer guide comprising;

at least one slot for receiving the card insulator; and

a retainer lid hingedly coupled to the at least one slot for securing the card insulator to the information processing system and hingedly rotating from an open position to a closed position.

15. (Previously Amended) The information processing system of claim 14 wherein the first side of the housing comprises a chassis and the handle portion is coupled to the chassis via the hooked connecting element.

16. Canceled.

17. (Previously Amended) The information processing system of claim 15 wherein the card insulator comprises an end portion and the at least one slot supports the entire end portion.

18. Canceled.

19. (Previously Amended) An information processing system comprising:

a housing having a first and second side wherein the first side comprises a chassis and is opposite the second side;

a card insulator, the card insulator comprising:

a single planar portion; and

a curved handle portion coupled to the single planar portion, the curved handle portion including a hooked element for coupling the card insulator to the chassis; and

an end portion coupled to the single planar portion; and

a retainer guide, the retainer guide coupled to the second side of the housing, the retainer guide comprising;

at least one slot for receiving the entire end portion of the card insulator; and

a retainer lid hingedly coupled to the at least one slot for securing the card insulator to the information processing system wherein the retainer lid hingedly rotates from an open position to a closed position.